


555 Wooden Styles


5701 / 701X / 6701 / 701H Oak Light EIR



5701 22,86 x 152,40 cm
Stärke Thickness / Calibre / Spessore 2,5 mm
Paket Package / Paquet / Pacchetto = 3,48 m²



6701 15,24 x 76,20 cm
Stärke Thickness / Calibre / Spessore 2,5 mm
Paket Package / Paquet / Pacchetto = 3,48 m²



701X Click! 22,80 x 152,40 cm
Stärke Thickness / Calibre / Spessore 7,0 mm
Paket Package / Paquet / Pacchetto = 2,08 m²



701H Click! 15,00 x 75,00 cm
Stärke Thickness / Calibre / Spessore 7,0 mm
Paket Package / Paquet / Pacchetto = 1,58 m²



Garantie Guarantee /
Garantie / Garanzia



Gefaste Kanten Bevelled
edges / Lames chanfrei-
nées / Bordi smussati



Eigenen Raum fotografieren und Boden virtuell wechseln!

Scan the code and use the design flooring in the room planner!
Scanner le code et utiliser le revêtement de sol design dans le planificateur d'espace!
Scansiona in codice per accedere al pianificatore del pavimento di design!





Eigenen Raum fotografieren und Boden virtuell wechseln!

Scan the code and use the design flooring in the room planner!
Scanner le code et utiliser le revêtement de sol design dans le planificateur d'espace!
Scansiona in codice per accedere al pianificatore del pavimento di design!



Designböden Design flooring / Sols design / Pavimenti vinilici modulari LVT 555 Wooden Styles 6701 Oak Light EIR Herringbone