


# 555 Wooden Styles


## 5705 / 705X / 6705 / 705H Oak Natural EIR




**5705** 22,86 x 152,40 cm  
 Stärke Thickness / Calibre / Spessore 2,5 mm  
 Paket Package / Paquet / Pacchetto = 3,48 m<sup>2</sup>



**6705** 15,24 x 76,20 cm  
 Stärke Thickness / Calibre / Spessore 2,5 mm  
 Paket Package / Paquet / Pacchetto = 3,48 m<sup>2</sup>



**705X Click!** 22,80 x 152,40 cm  
 Stärke Thickness / Calibre / Spessore 7,0 mm  
 Paket Package / Paquet / Pacchetto = 2,08 m<sup>2</sup>



**705H Click!** 15,00 x 75,00 cm  
 Stärke Thickness / Calibre / Spessore 7,0 mm  
 Paket Package / Paquet / Pacchetto = 1,58 m<sup>2</sup>



max. 29°C Typ W

Garantie Guarantee /  
 Garantie / Garanzia



Gefaste Kanten Bevelled  
 edges / Lames chanfrei-  
 nées / Bordi smussati



### Eigenen Raum fotografieren und Boden virtuell wechseln!

Scan the code and use the design flooring in the room planner!  
 Scanner le code et utiliser le revêtement de sol design dans le planificateur d'espace!  
 Scansiona in codice per accedere al pianificatore del pavimento di design!



Designböden Design flooring / Sols design / Pavimenti vinilici modulari LVT 555 Wooden Styles 5705 Oak Natural EIR



**Eigenen Raum fotografieren und Boden virtuell wechseln!**

Scan the code and use the design flooring in the room planner!

Scanner le code et utiliser le revêtement de sol design dans le planificateur d'espace!

Scansiona in codice per accedere al pianificatore del pavimento di design!





Designböden Design flooring / Sols design / Pavimenti vinilici modulari LVT 555 Wooden Styles 6705 Oak Natural EIR Herringbone